

# The Facts About Ergonomics: Dispelling Myths

## POSITION STATEMENT

*Sponsored by the AIHA® Ergonomics Committee*

*May 2019*



**There is a lot of misinformation about ergonomics. Here we set the record straight.**

Musculoskeletal injuries sideline thousands of workers every year and cost organizations billions of dollars in lost time and workers' compensation costs. Check out these links to see the evidence of this:

- [Liberty Mutual Insurance Safety Index](#)
- [OSHA Ergonomics Standard Preamble](#)
- [NIOSH Epidemiology Study –DHHS](#) (NIOSH 97-141)

Many organizations have recognized the impact of these injuries and implemented programs and workplace changes that have reduced injuries and costs. But others have been scared away from ergonomics programs due to misinformation. Here are the common misperceptions and the facts to disprove them.

**Myth #1: Ergonomics is not a science.**

**Fact:** *There is a large body* of scientific research that has been published in the area of ergonomics. NIOSH, the National Academy of Sciences and other prestigious scientific bodies have reviewed the research results and concluded that ergonomics has a sound basis in the scientific peer-reviewed literature.

Ergonomics is a mixture of many branches of science. To perform detailed ergonomics risk assessments, you need to know anatomy and physiology, biomechanics, physics, statistics, epidemiology, and much more. To learn more about the scientific content of university programs offering degrees in ergonomics, go to the following link: <https://ergoweb.com/university-programs-ergonomics-human-factors/>

The National Academy of Sciences and the National Research Council/Institute of Medicine conducted a two-year study that examined the contributions of workplace physical and psychosocial factors to the occurrence of musculoskeletal disorders (MSDs) and the effectiveness of various prevention strategies. The study reached the following conclusions:

- 1) These disorders are a national health problem that imposes a significant economic burden on our economy.
- 2) There is a clear relationship between workplace physical and psychosocial factors and MSD development.
- 3) The implementation of effective ergonomics programs can help reduce these risks. For more details, [click here](#).

**Myth #2: Ergonomics is costly.**

**Fact:** Many organizations have found that a good ergonomics program can not only reduce injuries, but also reduce costs and increase productivity. For example, in 1997 the United States General Accounting Office (GAO) published a report to Congress entitled *Private Sector Ergonomics Programs Yield Positive Results* (<http://www.gao.gov/archive/1997/he97163.pdf>). GAO studied a number of companies in widely different sectors and found that each was able to reduce injuries, improve morale and reduce overall costs. Also, a wide range of organizations—including companies, universities and the Department of Defense—has provided access to successful changes that others can use. In addition, the OSHA website includes success stories from many business sectors that show how effective ergonomics programs helped companies' bottom lines ([http://www.osha.gov/SLTC/ergonomics/success\\_stories.html](http://www.osha.gov/SLTC/ergonomics/success_stories.html)).



According to the NIOSH Prevention through Design (PTD) initiative, the best way to reduce overall cost is to address all occupational safety and health risk, including ergonomic risk, in the design stage. For more detail, go to the following link: <http://www.cdc.gov/niosh/topics/ptd/>.

The Ohio Bureau of Workers' Comp has a safety grants program with lots of case studies showing cost savings and most of them are on ergonomic interventions: <https://www.bwc.ohio.gov/Employer/Services/SHBestPractices/BestPracticesSearch.aspx>

It can, in fact, be costly not to have effective ergonomics programs. The Joint Commission (TJC) that provides accreditation to healthcare providers in a number of environments of care illustrates this in their 2012 publication entitled **Improving Patient and Worker Safety: Opportunities for Synergy, Collaboration and Innovation**. This document details how the lack of an effective safe patient handling and mobility (SPHM) program that considers and controls ergonomic risk will lead to harm to both care givers and care recipients (patients, residents and others).

The Association of Safe Patient Handling Professionals (ASPHP) also has a learning center that provides a number of case studies demonstrating this synergy (<https://asphp.org/resources-tools/case-studies/>).

### **Myth #3: The injuries are not real because there is no way to diagnose them.**

**Fact:** A number of resources are available to physicians and others to help diagnose the existence and extent of a condition or disability. One such tool is the 6th edition of the American Medical Association's *Guides to the Evaluation of Permanent Impairment*. To learn more, go to the following link: [https://commerce.ama-assn.org/store/catalog/productDetail.jsp?product\\_id=prod1160002&navAction=push](https://commerce.ama-assn.org/store/catalog/productDetail.jsp?product_id=prod1160002&navAction=push)

According to the AMA, this tool provides expanded use of diagnostic approaches to help physicians consider relevant clinical tests and patient outcomes in performing ratings. It also stresses contemporary, evidence-based concepts.

The American Academy of Orthopedic Surgeons provides diagnosis methodologies for specific conditions found at the links below:

- Carpal Tunnel Syndrome - <http://orthoinfo.aaos.org/topic.cfm?topic=A00005>
- De Quervain's Tendinitis - <http://orthoinfo.aaos.org/topic.cfm?topic=A00007>
- Cubital Tunnel Syndrome - <http://orthoinfo.aaos.org/topic.cfm?topic=A00069>

### **Myth #4: There is no way to show what is causing ergonomic injuries because they have no dose-response relationship.**

**Fact:** There is a substantial and growing body of knowledge regarding the work-relatedness of musculoskeletal disorders. One example is a two-year study published by the National Academy of Sciences, *Musculoskeletal Disorders and Workplace Factors: A Critical Review of Epidemiological Evidence for Work-Related Musculoskeletal Disorders of the Neck, Upper Extremities, and Lower Back* (NIOSH Doc. 97-141, <http://www.cdc.gov/niosh/docs/97-141/>). The study demonstrates a relationship between workplace exposures and injuries: the risk of injury increases as the exposure to risk factors increases. At the same time, the study emphasizes that a reduction in exposure often results in a reduced severity of injuries. The American Society for Surgery of the Hand provides causation information regarding specific conditions at the links below:



- Carpal Tunnel Syndrome

<http://www.assh.org/handcare/hand-arm-conditions/carpal-tunnel/>

- De Quervain's Tendinitis

<http://www.assh.org/handcare/hand-arm-conditions/de-quervain-tenosynovitis>

- Cubital Tunnel Syndrome

<http://www.assh.org/handcare/hand-arm-conditions/cubital-tunnel>

**Myth #5: Fixing ergonomic problems will slow production. It will require employers to slow down the work process or hire more workers to do the same work (e.g., two people to lift or carry something).**

**Fact:** There are many examples of simple, inexpensive, quick fixes to eliminate ergonomics problems. There are also many examples of changes that result in increased efficiency and productivity, assuring that American companies remain able to compete and serve as places of employment. The NIOSH website contains examples of cost-effective ergonomics programs and interventions at the following link: <http://www.cdc.gov/niosh/topics/ergonomics/>.

**Myth #6: Many of these problems are due to outside activities like bowling, knitting, gardening, home repair or sports.**

**Fact:** It is true that your body will respond the same way whether the excessively physically demanding activity you are doing is on or off the job. But most people spend 40+ hours a week at work and likely only spend a few hours a week in leisure activities like bowling. A good way of determining the work-relatedness of ergonomic problems is needed. When the condition is due to personal activities, it does not have to be recorded or addressed by employers. Similar issues have been raised about noise and exposure to chemicals. For instance, if someone without the proper hearing protection is exposed to loud noise outside of work, the effects of this exposure may appear in an audiogram at work. Similarly, someone using chemicals without proper ventilation at home may experience health effects first noticed by medical staff at work. There is a method for making that determination with regard to required OSHA record keeping

For detail regarding this process, go to the following link:

<https://www.osha.gov/laws-regs/regulations/standardnumber/1904/1904.5>

**Myth #7: Ergonomic assessments are complicated. Employers, particularly small employers, do not have the knowledge or expertise to do ergonomic assessments, and hiring an ergonomist to do them is cost prohibitive.**

**Fact:** Some ergonomics risks (such as force, frequency, and posture) are very easy to spot and fix, while some may require more detailed review by trained eyes. There are a number of good resources available from OSHA or state consultation programs, insurance companies, trade organizations and other local companies who may have similar issues. In addition, participatory ergonomics programs, where employees can get involved in identifying hazards and recommending solutions, have proven very successful. There are free resources on the OSHA website, including ergonomics eTools, which can be helpful. For more information, visit <https://www.osha.gov/dts/osta/oshasoft/index.html> Ergonomics consultants can also often provide a very good economic return on investment. For more detail, go to the following link: <http://www.bcpe.org/find-a-certificant/find-a-consultant/#/cid/741/id/301>



## **FOLLOWING ARE SOME ADDITIONAL RESOURCES**

- AAOS [American Academy of Orthopaedic Surgeons]. 2008. The Burden of Musculoskeletal Diseases in the United States: Prevalence, Societal, and Economic Cost. Executive Summary. Rosemont, IL: AAOS.
- Alabdulkarim S, Nussbaum MA, Rashedi E, Kim S, Agnew M, Gardner R. (2016). Impact of task design on task performance and injury risk: case study of a simulated drilling task. *Ergonomics*. 2016 Aug 31:1-16.
- Bernstein A and Beeferman L. (2015). The Materiality of Human Capital to Corporate Financial Performance, Pensions and Capital Stewardship Project, Labor and Worklife Program, Harvard Law School, 2015.
- BLS [Bureau of Labor Statistics]. 2015. “Nonfatal Occupational Injuries and Illnesses Requiring Days Away from Work, 2014.” November 19, 2015. Accessed January 12, 2016.
- Cantley LF, Taiwo OA, Galusha D, Barbour R, Slade MD, Tessier-Sherman B, Cullen MR. (2013). Effect of systematic ergonomic hazard identification and control implementation on musculoskeletal disorder and injury risk. *Scand J Work Environ Health*. 2014 Jan;40(1):57-65.
- De La Gorce N, Williams J, Wilkens M, Martin ND, and Burks B. (2018). How Social Risk And Opportunities Factors Into Global Corporate Ratings. S&P Global Market Intelligence.
- Dul J, Bruder R, Buckle P, Carayon P, Falzon P, Marras WS, Wilson JR, van der Doelen B. (2012). A strategy for human factors/ergonomics: developing the discipline and profession. *Ergonomics*. 2012;55(4):377-95.
- Fabius R, Thayer RD, Konicki DL, Yarborough CM, Peterson KW, Isaac F, Loepke RR, Eisenberg BS, Dreger M. (2013). The link between workforce health and safety and the health of the bottom line: tracking market performance of companies that nurture “culture of health”. *J Occup Environ Med*. 2013 Sep;55(9):993-1000.
- Falck AC, Örtengren R, and Högberg D. (2010). The impact of poor assembly ergonomics on product quality: A cost-benefit analysis in car manufacturing. *Human Factors and Ergonomics in Manufacturing & Service Industries*, Volume 20, Issue 1, pages 24–41, January/February 2010.
- Falck AC, Örtengren RC, and Rosenqvist M. (2014). Assembly failures and action cost in relation to complexity level and assembly ergonomics in manual assembly (part 2). *International Journal of Industrial Ergonomics* 44 (2014) 455-459.
- Goetzel RZ, Fabius R, Fabius D, Roemer EC, Thornton N, Kelly RK, Pelletier KR. (2016). The Stock Performance of C. Everett Koop Award Winners Compared With the Standard & Poor’s 500 Index. *J Occup Environ Med*. 2016 Jan;58(1):9-15.
- Goggins RW, Spielholz P, Nothstein GL. (2008). Estimating the effectiveness of ergonomics interventions through case studies: implications for predictive cost-benefit analysis. *J Safety Res*. 2008;39(3):339-44.
- Horton, R. 2010. “Understanding Disease, Injury, and Risk.” *Lancet* 2012 (380): 2053–2054.
- Larson N, Wick H. (2012). 30 years of ergonomics at 3M: a case study. *Work*. 2012;41 Suppl 1:5091-8.

Marucci-Wellman HR, Courtney TK, Corns HL, Sorock GS, Webster BS, Wasiak R, Noy YI, Matz S, and Leamon. (2015). The direct cost burden of 13 years of disabling workplace injuries in the U.S. (1998-2010): Findings from the Liberty Mutual Workplace Safety Index. *J Safety Res.* 2015 Dec;55:53-62.

Murray, et al., (2012). Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. *Lancet.* 2012 Dec 5;380(9859):2163-96.

Schneider E, Irastorza X. OSH in figures: work-related musculoskeletal disorders in the EU—facts and figures. Luxembourg: European Agency for Safety and Health at Work (EU-OSHA), 2010.

Silverstein B, Evanoff B. Musculoskeletal disorders. In: Levy BS, Wegman DH, Baron SL, et al., eds. *Occupational and environmental health: recognizing and preventing disease and injury.* New York, NY: Oxford University Press, 2011:335–65.

Tompa E, Dolinschi R, Natale J. (2013). Economic evaluation of a participatory ergonomics intervention in a textile plant. *Appl Ergon.* 2013 May;44(3):480-7.

Vos, et al. (2016). Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. *Lancet.* 2016 Oct 8;388(10053):1545-1602.